This is CS50

http-server

https://www.example.com/

https://www.example.com/file.html

https://www.example.com/folder/

https://www.example.com/folder/file.html

https://www.example.com/path


https://www.example.com/route

https://www.example.com/route?key=value



GET /search?q=cats HTTP/2
Host: www.google.com

Flask



app.py

templates/

```
app.py
requirements.txt
static/
templates/
```

```
from flask import Flask, render_template
app = Flask(__name__)
```

return render_template("index.html")

@app.route("/")

def index():

request.args


Jinja


request.form



Calendar Point tallies
Champions Records
FAQ's Register
Guide to Frosh IMs Registrants
Headlines Rules
How to get involved Photos Whom to contact









to continue to Gmail

Email or phone

Forgot email?

Not your computer? Use Guest mode to sign in privately.

Learn more

Create account

Next

GET / HTTP/2
Host: accounts.google.com

• •

HTTP/2 200

Content-Type: text/html

. . .

Content-Type: text/html
Set-Cookie: session=value

HTTP/2 200

GET / HTTP/2
Host: accounts.google.com

• •

GET / HTTP/2
Host: accounts.google.com
Cookie: session=value

session

from cs50 import SQL

API

JSON

```
{"id": 112108, "title": "The Office", "year": 1995, "episodes": 6},
{"id": 290978, "title": "The Office", "year": 2001, "episodes": 14},
{"id": 386676, "title": "The Office", "year": 2005, "episodes": 188},
{"id": 1791001, "title": "The Office", "year": 2010, "episodes": 30},
{"id": 2186395, "title": "The Office", "year": 2012, "episodes": 8},
{"id": 8305218, "title": "The Office", "year": 2019, "episodes": 28},
{"id": 20877972, "title": "The Office", "year": 2022, "episodes": 20}
```

This is CS50